

Notice of Allowability	Application No.	Applicant(s)
	10/666,920	HAKKINEN ET AL.
	Examiner	Art Unit
	Robert C. Scheibel	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address— All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. ☑ This communication is responsive to the amendment filed 4/6/2006.  2. ☑ The allowed claim(s) is/are 1-10,15,16,21-34 and 41-48, renumbered 1-34.  3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) ☐ All b) ☐ Some* c) ☐ None of the:  1. ☐ Certified copies of the priority documents have been received.  2. ☐ Certified copies of the priority documents have been received in Application No  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1) 🗌 hereto or 2) 🗍 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☐ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date  4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☑ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendm	e <u>20060525</u> .

Application/Control Number: 10/666,920

Art Unit: 2616

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with James A. Retter (Reg. No. 41,266) on 5/25/2006.

The application has been amended as follows:

In the claims:

In claim 2, line 3, "payload" has been corrected to -- payload message --.

In claim 3, line 7, "signal provided" has been corrected to -- signal, received at a time of receipt, provided --.

In claim 3, line 10, "one of the sequences of time intervals" has been corrected to -- a time interval --.

In claim 4, line 1, "further" has been deleted.

In claim 5, line 1, "further" has been deleted.

In claim 6, line 1, "further" has been deleted.

In claim 7, line 1, "further" has been deleted.

In claim 29, line 8, "signal provided" has been corrected to -- signal, received at a time of receipt, provided --.

Application/Control Number: 10/666,920

Art Unit: 2616

In claim 29, line 13, "one of the sequences of time intervals" has been corrected to -- a time interval --.

In claim 42, line 18, "symbols." has been corrected to -- symbols and the indication symbol is sent either in advance of or after the payload message. --.

In claim 43, line 3, "payload" has been corrected to -- payload message --.

In claim 44, line 6, "entity" has been corrected to -- apparatus --.

In claim 44, line 7, "signal provided" has been corrected to -- signal, received at a time of receipt, provided --.

In claim 44, line 8, "entity" has been corrected to -- apparatus --.

In claim 44, line 10, "one of the sequences of time intervals" has been corrected to -- a time interval --.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert C. Scheibel whose telephone number is 571-272-3169.

The examiner can normally be reached on Monday and Thursday from 6:30-5:00 Eastern Time.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Seema S. Rao can be reached on 571-272-3174. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/666,920 Page 4

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Robert C. Scheibel Examiner

Art Unit 2616

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600

Scema S. Ras 5/29/06